

W.ROBINSON & SONS (EC) LTD

35-41 Fowler Road, Hainault Business Park

Hainault, Essex, IG6 3WR

T: 020 8559 6000 F: 020 8559 6001 E: sales@pump.co.uk

Villiers G200VFQ



- Durable Bare Engine
- High performance rating
- Electric start optional
- Low noise level
- Fuel efficient running
- All standard engine mount shafts available




W. Robinson & Sons




W. Robinson & Sons

Villiers G200VFQ


Front View



Side View



Bottom View



W. Robinson & Sons




W. Robinson & Sons

Q-Shaft



Villiers G200VFQ



ENGINE	Single cylinder, Forced Air cooled, 4 Stroke	
	Rated Power	3.8kW / 3600rpm
	Max. Torque	13Nm / 2500rpm
	Starting System	Recoil Start (electric option)
	Ignition System	Transistor Electric, Inductive firing
	Displacement (cc)	196
	Fuel Consumption (L/ hr)	1.22
	Fuel Tank Capacity	3.61
	Oil Capacity (L)	0.6
	Noise Level	< 104 db (A)
	Continuing operation hours (h)	2.95
	Bore x Stroke	68 x 54
	Compression Ratio	8.5 : 1
	Lubrication System	Splash
	Air Cleaner	Semi-dry, oil bath, Foam Filter
	Dimension (L x W x H)	342 x 362 x 335 mm
	Dry Weight	16.5kg



W. Robinson & Sons



W. Robinson & Sons